



Attorney Docket No. IMMR-038/06US

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of Louis B. Rosenberg et al.

Serial No.: 10/781,801

Examiner: Unassigned

Confirmation No.: 5176

Art Unit: 2621

Filed: February 20, 2004

For: DIGITIZING SYSTEM AND ROTARY TABLE FOR DETERMINING 3-D
GEOMETRY OF AN OBJECT

U.S. Patent and Trademark Office
220 20th Street South
Customer Window
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

REQUEST FOR CORRECTED FILING RECEIPT

Attached is a copy of the Filing Receipt received from the Patent and Trademark Office in the above-identified application for which issuance of a corrected filing receipt is respectfully requested. The requested change is marked in red on the copy of the Filing Receipt.

The error to be corrected is as follows:

Replace Domestic Priority data as claimed by applicant: "This application is a CON of 09/685,923 10/10/00 PAT 6,434,902"

with -- "This application is a CON of 09/687,923 10/13/00 PAT 6,697,748"

A copy of the Filing Receipt with the requested changes marked in red is attached.

- ☒ [X] The correction is required due to Applicant's error and a check including the amount of \$25.00 is enclosed to cover the fee under 37 CFR 1.19(h).
- ☐ [] The correction is required due to Patent Office error, and no fee is believed to be required.

The Commissioner is hereby authorized to charge any underpayment of the following fees associated with this communication or credit any overpayment to Deposit Account 50-1283:

- ☒ Any national application filing fees under 37 CFR 1.16.
- ☒ Any patent application processing fees under 37 CFR 1.17.

Dated: June 17, 2004

Cooley Godward LLP
ATTN: Patent Group
One Freedom Square
Reston Town Center
11951 Freedom Drive
Reston, VA 20190-5656
Tel: (703) 456-8000
Fax: (703) 456-8100

Respectfully submitted,
COOLEY GODWARD LLP

By:



Erik B. Milch
Reg. No. 42,887